



ST. JEROME

CATHOLIC SCHOOL

COMMUNICABLE DISEASE

General Information about Communicable Disease

- Immunizations required by the Texas DSHS/Immunization Division to prevent communicable disease
- Students should remain at home when they exhibit the first symptoms of a disease
- When a student in school is suspected of having a communicable disease,¹¹ he/she should be separated from other students until he/she can be sent home

Guidelines for Excluding Students from School

Exclusion Guidelines	Return to School Guidelines
Oral temperature of 100° or above	Fever free for 24 hours
Vomiting, nausea or severe abdominal pain	Symptom free for 24 hours
Marked drowsiness or malaise	Symptom free
Sore throat, acute cold or persistent cough	Symptom free
Red, inflamed or discharging eyes	Written physician release
Wound, skin and soft tissue infections	Exclude until drainage is contained and covered with a clean dry bandage
Swollen glands around jaws, ears or neck	Written physician release
Suspected scabies or impetigo	Written physician release
Any skin lesion in the weeping stage	Covered and diagnosed as non-infectious
Earache	Symptom free
Pediculosis	Lice and nit free (Superintendents of the Catholic Schools in Texas support this implementation, effective March 2009 and reviewed January 2013)
Other symptoms suggestive of acute illness	Written physician release